

09/259762

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Zhiping Yin et al.

Examiner: Diaz, Jose

Patent No.: 6,900,138 **B1**

Group Art Unit: 2815

Issue Date: May 31, 2005

Docket No: 303.531US1

Title: OXYGEN PLASMA TREATMENT FOR NITRIDE SURFACE TO REDUCE PHOTO FOOTING

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Certificate**  
**AUG 02 2005**  
**of Correction**

We are transmitting herewith the attached:

- ☒ Request for Certificate of Correction.
- ☒ Certificate of Correction Form - PTO-1050 (in duplicate)
- ☒ A return postcard.

**Please charge any additional fees or credit overpayment to Deposit Account No. 19-0743.**

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.  
Customer No: 21186


By: J. M. Kalis  
Name: Janal M. Kalis  
Reg. No. 37,650  
JMK:CMG:rr

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner of Patents and Trademarks, P.O. Box 1450, Alexandria VA 22313-1450, on this 27 day of July 2005.

Eric Olson  
Name

[Signature]  
Signature

**AUG 03 2005**



Patent 6,900,138

PATENT

**IN UNITED STATES PATENT AND TRADEMARK OFFICE**

Patent No.: 6,900,138 **B1** Docket No: 303.531US1  
Issue Date: May 31, 2005 Patentee: Zhiping Yin et al.  
Customer No.: 21186 Confirmation No.: 5661  
Title OXYGEN PLASMA TREATMENT FOR NITRIDE SURFACE TO REDUCE  
PHOTO FOOTING

**REQUEST FOR CERTIFICATE OF CORRECTION**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. Two copies of the text of the Certificate in the suggested form are enclosed.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims as properly allowed, and re-examination is not required.

**As the error is that of the Patent Office, it is believed that no fee is due.**

The Examiner is authorized to charge any additional fees or credit overpayment to Deposit Account No.19-0743.

Respectfully Submitted  
ZHIPING YIN ET AL.  
By their Representatives,  
SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A  
P.O. Box 2938  
Minneapolis, MN 55402  
(612) 373-6900

Date: 27 July 06

By: [Signature]  
Janal M. Kalis  
Reg. No: 37,650  
JMK:eno

**CERTIFICATE UNDER 37 CFR § 1.8:** The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, on this 27 day of July 2005

Eric Olson  
Name

[Signature]  
Signature

AUG 03 2005

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.  
(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,900,138 **B1**

Page (1) of 1

DATED : May 31, 2005

INVENTOR(S) : Yin et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the face page, in field (56), under "U.S. Patent Documents", in column 2, line 6, after "723" insert - - MP - -.

In column 7, line 47, in Claim 8, delete "seem" and insert - - sccm - -, therefor.

In column 8, line 48, in Claim 20, after "oxygen" insert - - gas - -.

In column 8, line 53, in Claim 20, insert - - an - - before "atmosphere".

MAILING ADDRESS OF SENDER:

SCHWEGMAN, LUNDBERG, WOESSNER, & KLUTH, P.A.  
P.O. BOX 2938  
Minneapolis, MN 55402

Atty Docket No: 303.531US1

PATENT NO. \_\_\_\_\_ 6,900,138 \_\_\_\_\_

No. of additional copies

➡ \_\_\_\_\_

AUG 03 2005

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.  
(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,900,138 <sup>B1</sup>

Page (1) of 1

DATED : May 31, 2005

INVENTOR(S) : Yin et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the face page, in field (56), under "U.S. Patent Documents", in column 2, line 6, after "723" insert -- MP --.

In column 7, line 47, in Claim 8, delete "seem" and insert -- sccm --, therefor.

In column 8, line 48, in Claim 20, after "oxygen" insert -- gas --.

In column 8, line 53, in Claim 20, insert -- an -- before "atmosphere".

MAILING ADDRESS OF SENDER:

SCHWEGMAN, LUNDBERG, WOESSNER, & KLUTH, P.A.  
P.O. BOX 2938  
Minneapolis, MN 55402

Atty Docket No: 303.531US1

PATENT NO. \_\_\_\_\_ 6,900,138 \_\_\_\_\_

No. of additional copies



AUG 03 2005